

Certificate of Analysis

Product: Quetiapine Oral Suspension 20mg/mL

Lot Number: 1014201

Licence: PL00427/0240

Chemistry Method Reference: MFC-000092 V 2.0 (C6FAB)

Test	Result	Comparative result (Units)
Description: off white suspension	Complies	Complies
Weight/mL	1.042	g/ml
pH	5.4	
Assay of Quetiapine	98.8	%
Identification of Quetiapine (by UV & RT)	Complies	Complies
Assay of Methyl Hydroxybenzoate	98.4	%
Assay of Propyl Hydroxybenzoate	98.4	%
Identification of Methyl and Propyl Hydroxybenzoate (by RT)	Complies	Complies
Impurity G	0.00	%
Impurity B	0.00	%
Specified Unknown Degradation Product Unknown 1	0.00	%
Specified Unknown Degradation Product Unknown 2	0.00	%
Unknown degradants (each)	0.00	%
Total known and unknown degradants	0.0	%
Content Uniformity	Complies	Complies
Uniformity of mass of delivered dose	Complies	Complies
Viscosity	1634	cPs
Dissolution	98	%

Comments and other tests:

Complies with Ph Eur chapter 5.1.4 – Microbiological Quality of Non - Sterile Pharmaceutical Preparations & Substances for Pharmaceutical Use

CONCLUSION:

The product Complies with respect to the stated specification

Date of Manufacture:

MAY/2024

Date of Expiry:

MAY/2026

Analyst(s)

R Manju J Laing

Checked:

L Thornton – Sign and Date: 27 June 27

Approved for release:

H Pearson: QC Release and Compliance Officer

Date: 27 den - 2024

Rosemont Pharmaceuticals Ltd. Rosemont House, Yorkdale Industrial Park, Braithwaite Street, Leeds LS11 9XE T +44 (0)113 244 1400 F +44 (0)113 245 3567

> **E** infodesk@rosemontpharma.com Sales/Customer Service T +44 (0)113 244 1999 F +44 (0) 113 246 0738 www.rosemontpharma.com